Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1568	713/200.ccls.	USPAT	OR	OFF	2005/03/01 18:05
S2	2844	713/200.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/01 18:06
S3	905	713/168.ccls.	US-PGPUB; USPAT	OR	OFF	2005/03/01 19:15
S4	38	S3 and (local and remote) with (authenticat\$5)	US-PGPUB; USPAT	OR	OFF	2005/03/01 18:08
S5	42	S3 and ((local\$2) with (authenticat\$5)) and (remote\$2 with authenticat\$5)	US-PGPUB; USPAT	OR	OFF	2005/03/01 18:09
S6	. 16	S3 and ((local\$2) with (authenticat\$5)) and (remote\$2 with authenticat\$5) and (local with server) and (remote with server)	US-PGPUB; USPAT	OR	OFF	2005/03/01 18:15
S7	104	remote with AAA with server and (remote with AAA with server)	US-PGPUB; USPAT	OR	ON	2005/03/01 18:16
S8	6	remote adj AAA adj server and (remote adj AAA adj server)	US-PGPUB; USPAT	OR	ON	2005/03/01 18:39
S9	4	(dual double) with (authenticat\$5). ti.	US-PGPUB; USPAT	OR	ON	2005/03/01 18:40
S10	1	(local and remote) with (authenticat\$5).ti.	US-PGPUB; USPAT	OR	ON	2005/03/01 18:45
S11	798	(local and remote) with (authenticat\$5)".ab"	US-PGPUB; USPAT	OR	ON	2005/03/01 18:45
S12	30	(local and remote) with (authenticat\$5).ab.	US-PGPUB; USPAT	OR	ON	2005/03/01 19:01
S13	1	"6086369".pn.	US-PGPUB; USPAT	OR	ON	2005/03/01 18:55
S14	18	access with control with authenticat\$5.ti.	US-PGPUB; USPAT	OR	ON	2005/03/01 19:07
S15	6	("4677552" "4847902" "4941176" "5032979" "5081678" "5144659").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/01 19:02
S16	103	("5235642").URPN.	USPAT	OR	OFF	2005/03/01 19:02
S17	5	("local database" cache) same (remote with authenticat\$5) with success\$5 with local\$5	US-PGPUB; USPAT	OR	ON	2005/03/01 19:08
S18	7	("5991807" "6182142" "6219706" "6233576" "6233618" "6292798" "6292904").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/01 19:09
S19	93	713/168.ccls. and (local cache) with authenticat\$5	US-PGPUB; USPAT	OR	OFF	2005/03/01 19:15
S20	735	authentication.ti.	USPAT	OR	OFF	2005/03/02 12:09

S21	16	authentication.ti. and (local with authenticat\$5).ab.	USPAT	OR	OFF	2005/03/02 12:09
S22	0	limit with number with update\$ with database\$2 and AAA	USPAT	OR	OFF	2005/08/12 18:08
S23	5	limit with number with update\$ with database\$2	USPAT	OR	OFF	2005/08/12 18:08
S24	3 <u>1</u> 9	726/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/04 18:26
S25	7	("20020042820" "20020147820" "20030166397" "6075860" "6198823" "6236852" "6490445").PN.	US-PGPUB; USPAT; USOCR	OR ·	OFF	2006/02/06 18:44
S26	1	"6490445".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/06 19:15
S27	23	holcman.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 12:13
S28	1	"6947725".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 12:13
S29	5	("20030028649" "20030108007" "20030176186" "20040192211" "6788660").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 12:16
S30	0	("20030028649" "20030108007" "20030176186" "20040192211" "6788660").PN. and (restriced adj access\$2)	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/02/07 12:16
S31	. 0	("20030028649" "20030108007" "20030176186" "20040192211" "6788660").PN. and (restriced adj access\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 12:16
S32	0	("20030028649" "20030108007" "20030176186" "20040192211" "6788660").PN. and (restricted adjaccess\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 12:16
S33	79	(limit\$4 restrict\$4) with (access\$3) with ((authentication\$4) with (full remote))	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 12:25
S34	91	(limit\$4 restrict\$4) with (access\$3) with ((authenticat\$4) with (full remote))	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 13:00

	r		-	<u> </u>	· · · · · · · · · · · · · · · · · · ·	·
S35	6	(limit\$4 restrict\$4) with (access\$3) with ((authenticat\$4) with (quick\$4 short\$4))	US-PGPUB; USPAT; USOCR	OR	ON .	2006/02/07 13:01
S36	0	(limit\$4 restrict\$4) with (access\$3) same ((authenticat\$4) with (quick\$4 short\$4)) and ((full un\$restrict\$4) with access\$4) same (full\$4 with authenticat\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 13:02
S37	27	(limit\$4 restrict\$4) with (access\$3) same ((authenticat\$4) with (quick\$4 short\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:45
S38	1133	726/4.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:45
S39	235	726/4.ccls. and ((limit\$2 restrict\$4) adj (access))	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:46
S40	120	726/4.ccls. and ((limit\$2 restrict\$4) adj (access)) same ((full\$3 \$restrict\$2) adj access)	US-PGPUB; USPAT; USOCR	OR ·	ON	2006/02/07 14:47
S41	2	726/4.ccls. and ((limit\$2 restrict\$4) adj (access)) same ((full\$3 \$restrict\$2) adj access) and (local adj authenticat\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:47
S42	. 0	726/4.ccls. and ((limit\$2 restrict\$4) adj (access)) same ((full\$3 un\$restrict\$2) adj access) and (local adj authenticat\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:47
S43	8	726/4.ccls. and ((limit\$2 restrict\$4) adj (access)) same ((full\$3 un\$restrict\$2) adj access)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:48
S44	25	726/4.ccls. and ((limit\$2 restrict\$4) adj (access)) and ((full\$3 un\$restrict\$2) adj access)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:51
S45	176	726/4.ccls. and authenticat\$4 with (quick fast local remote)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:51
S46	. 6	726/4.ccls. and authenticat\$4 with (quick fast)	US-PGPUB; USPAT; USOCR	OR	ON .	2006/02/07 14:52
S47	. 0	726/4.ccls. and authenticat\$4 with (quick\$2 fast\$2).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 14:54
S48	2	726/4.ccls. and authenticat\$4 with (local).ti.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 15:50

S49	1	"6463474".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 15:54
S50	5	"0046391"	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/07 15:54
S51	0	"0046391"	US-PGPUB	OR	ON	2006/02/07 15:54
S52	12	"46391"	US-PGPUB	OR	ON	2006/02/07 15:55
S53	2	"6856800".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/07 16:10
S54	7	("20020042820" "20020147820" "20030166397" "6075860" "6198823" "6236852" "6490445").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 19:06
S55	4	abrishamkar.xa.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/07 21:18
S56	. 11	"380"/\$.ccls. and (multicast\$4) with (session adj key\$2)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/08 13:30
S72	8017	mobile\$2 with authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 14:33
S73	8017	mobile\$2 with authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:33
S74	1439	mobile\$2 with authenticat\$4.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:33
S75		mobile\$2 with authenticat\$4.ti. and (restricted\$4 near2 access\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:36

					r	
S76	0	mobile\$2 with "authenticat\$4." and (restrict\$4 near2 access\$2) same (full unrestrict near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:37
S77	0	mobile\$2 with "authenticat\$4." and (restrict\$4 near2 access\$2) and (full unrestrict near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:37
S78	. 0	mobile\$2 with "authenticat\$4." and (restrict\$4 near2 access\$2) and (full unrestrict\$4 near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:37
S79		mobile\$2 with "authenticat\$4" and (restrict\$4 near2 access\$2) and (full unrestrict\$4 near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:37
S80	110	(mobile\$2 with authenticat\$4) and (restrict\$4 near2 access\$2) and (full unrestrict\$4 near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:38
S81	3	(mobile\$2 with authenticat\$4) and (restrict\$4 near2 access\$2) and (full unrestrict\$4 near3 access) and (reduc\$5 with delay\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 14:38
S82	110	(mobile\$2 with authenticat\$4) and (restrict\$4 near2 access\$2) and (full unrestrict\$4 near3 access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:23
S83	2	"5987139".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/08 15:24

			T			T
S84	270	726/27.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OŖ	OFF	2006/02/10 17:21
S85	14	726/27.CCLS. and (local\$4 with authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 17:23
S86	278	concurrent\$4 with authentication\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 17:58
S87	25	concurrent\$4 adj authentication\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 17:58
S88	4	concurrent\$4 adj authentication\$2 and (restrict\$4 adj access\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/02/10 17:59
S89	25 [°]	concurrent\$4 adj authentication\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 18:04
S90	16701	authentication\$2.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 18:04
S91	2125	authentication\$2.ti. and (second\$4 with authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 18:05

S92	325	authentication\$2.ti. and (second\$4 with authenticat\$4) and (local\$4 with authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 18:05
S93	1312	(second\$4 with authenticat\$4) and (local\$4 with authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 18:06
S94	136	(second\$4 with authenticat\$4) and (local\$4 with authenticat\$4) and (quick\$4 fast\$4 intensive\$4) with authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/02/13 15:26
S95	38	cross with domain with authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:34
S96	184	"95" and (remote\$2 adj authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:30
S97	2	cross with domain with authenticat\$4 and (remot\$4 adj authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:34
S98	38	cross with domain with authenticat\$4 and (authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 16:34
S99	6	cross with domain with authenticat\$4 and (authenticat\$4)	USPAT; USOCR	OR	OFF	2006/02/13 16:55
S10 0	865	455/410.ccls.	US-PGPUB; USPAT	OR	ON	2006/02/16 21:08
S10 1	78	455/410.ccls. and (full \$restrict\$4) near3 (access\$4 right\$4 trust\$4)	US-PGPUB; USPAT	OR	ON	2006/02/16 21:10

				· · · · · · · · · · · · · · · · · · ·	,	
S10 2	84	455/410.ccls. and (full \$restrict\$4) near3 (access\$4 right\$4 trust\$4 authenticat\$4)	US-PGPUB; USPAT	OR	ON	2006/02/16 21:10
S10 3	10	455/410.ccls. and (full \$restrict\$4) near3 (access\$4 right\$4 trust\$4 authenticat\$4) and (local\$4 with authenticat\$4)	US-PGPUB; USPAT	OR	ON	2006/02/16 21:13
S10 4	956	(full \$restrict\$4) near3 (access\$4 right\$4 trust\$4 authenticat\$4) and (local\$4 with authenticat\$4)	US-PGPUB; USPAT	OR ·	ON	2006/02/16 21:13
S10 5	128	(full \$restrict\$4) near3 (access\$4 right\$4 trust\$4 authenticat\$4) and (local\$4 with authenticat\$4) and (remote\$4 adj authenticat\$4)	US-PGPUB; USPAT	OR	ON	2006/02/16 21:14
S10 6	52	(full \$restrict\$4) near3 (access\$4 right\$4 trust\$4 authenticat\$4) and (local\$4 with authenticat\$4) and (remote\$4 adj authenticat\$4) and ((withdraw\$4 remov\$3 terminat\$4 eliminat\$4) near3 (access\$4 right\$4 trust\$4 authenticat\$4))	US-PGPUB; USPAT	OR	ON	2006/02/16 22:05
S10 7	143	(local\$4 preliminary first\$4 quick\$4 fast\$2) near2 authenticat\$4 same (limit\$2 \$restrict\$4) with (right\$2 access\$2 trust\$3 activitie\$2 function\$5)	US-PGPUB; USPAT	OR	ON	2006/02/16 22:07
S10 9	143	(local\$4 preliminary first\$4 quick\$4 fast\$2) near2 authenticat\$4 same (limit\$2 \$restrict\$4) with (right\$2 access\$2 trust\$3 activitie\$2 function\$5)	US-PGPUB; USPAT	OR	ON	2006/02/16 22:16
S11 0	10	(quick\$4 fast\$2) near2 (authoriz\$6 authenticat\$4) same (limit\$2 \$restrict\$4) with (right\$2 access\$2 trust\$3 activitie\$2 function\$5)	US-PGPUB; USPAT	OR	ON	2006/02/16 22:18
S11 1	45	(quick\$4 fast\$2) near2 (authoriz\$6 authenticat\$4) same (limit\$2 \$restrict\$4)	US-PGPUB; USPAT	OR	ON	2006/02/16 22:18
S11 2	18	(quick\$4 fast\$2 weak\$2) near2 (authoriz\$6 authenticat\$4) same (limit\$2 \$restrict\$4) and (remot\$3 extensiv\$3 intensiv\$4 slower\$4 strong\$2 powerful\$2) near2 (authoriz\$4 authenticat\$4)	US-PGPUB; USPAT	OR	ON	2006/02/16 22:20
S11 3	18	(quick\$4 fast\$2 weak\$2) near2 (authoriz\$6 authenticat\$4) same (limit\$2 \$restrict\$4) and (remot\$3 extensiv\$3 intensiv\$4 slower\$4 strong\$2 powerful\$2) near2 (authoriz\$4 authenticat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 22:27

S11 4	84216	authoriz\$4 authenticat\$3 same (grant\$4) with (temporary restricted limited) adj access\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2006/02/16 22:29
S11	107	(authoriz\$4 authenticat\$3) same	IBM_TDB US-PGPUB;	OR	ON	2006/02/16 22:31
5	201	(grant\$4) with (temporary restricted limited) adj access\$2	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			2000,02,10 22.01
S11 6	5	(authoriz\$4 authenticat\$3) with (reduc\$4 minimiz\$4) with delay\$2.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/02/16 22:32
S11 7	78	(authoriz\$4 authenticat\$3) with (reduc\$4 minimiz\$4) with delay\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 22:32
S11 8	7	(authoriz\$4 authenticat\$3) with (reduc\$4 minimiz\$4) with delay\$2 and (full \$restrict\$4 limited unlimited) near2 access\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/16 22:39
S11 9	0	("6947725").URPN.	USPAT	OR	OFF	.2006/02/16 22:39
S12 0	5	("20030028649" "20030108007" "20030176186" "20040192211" "6788660").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/02/16 22:40
S12 1		(programmable electronic) adj (fuse\$) same password\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/02/17 16:01
S12 2	1	(password\$4) with (compar\$4) with (system adj component) near2 enabl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:02

S12 3	1	(password\$4) with (compar\$4) with (system adj component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:02
S12 4	331	(secur\$3) adj (device) with password\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:03
S12 5	17	(secur\$3) adj (device) with password\$2.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/17 16:03
S12 6	0	(secur\$3) adj (device) with password\$2.ti.	US-PGPUB; USPAT	OR	ON	2006/02/17 16:03
S12 7	33	(device) with password\$2.ti.	US-PGPUB; USPAT	OR	ON	2006/02/17 16:03
S12 8	1308	726/4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:46
S12 9	1587	713/168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/01/16 14:46
S13 0	574	726/27.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:47
S13 1	1062	455/410.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:48

S13 2	461	(S128 S129 S130 S131) and (local\$ with (authenticat\$4 authoriz\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:07
S13 3		(client adj database) with (local\$4 near2 (authenticat\$5 authoriz\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:12
S13 4	59	(local adj database) with (local\$4 near2 (authenticat\$5 authoriz\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:15
S13 5	2	(updat\$4) with (client adj (database table)) with ((remote local) near3 (authenticat\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:17